

R 19568

197

800536_ZOSTRIXCMT 06-12-12 14:21 SKA 1

ZOSTRIX
CAPSAICIN 0.025% w/w

Also contains benzyl alcohol 1% w/w as a preservative

TOPICAL
ANALGESIC
CREAM

DIRECTIONS FOR USE

May be useful as an adjunct in the temporary relief of pain associated with arthritis.
May be useful for the treatment of post-herpetic neuralgia (pain following shingles).

FOR EXTERNAL USE ONLY.



ZOSTRIX
CAPSAICIN 0.025% w/w

Also contains benzyl alcohol 1% w/w as a preservative

TOPICAL
ANALGESIC
CREAM

DESCRIPTION

Zostrix cream contains capsaicin 0.025% w/w and is supplied in tubes of 45g.

INDICATIONS

May be useful as an adjunct in the temporary relief of pain associated with arthritis. May be useful for the treatment of post-herpetic neuralgia (pain following shingles).

WARNINGS

For external use only:
Avoid contact with eyes and broken or irritated skin.

If condition worsens, or if symptoms persist for more than 28 days in the case of arthritis (14 days with post-herpetic neuralgia) or clear up and occur again within a few days, discontinue use of this product and consult your doctor. Keep out of the reach of children.

DIRECTIONS

Adults and children 2 years of age and older:

Apply Zostrix to affected area 3 to 4 times daily. Zostrix may cause temporary burning when applied. This burning is observed more frequently if Zostrix is used less than 3 times a day. Unless treating hands, wash hands thoroughly with soap and water after application. If Zostrix is found to irritate fingers, a disposable glove or finger cot may be used for Zostrix application.

After rubbing in Zostrix as completely as possible, any excess cream may be gently removed with a disposable tissue.

BERGSTENS
TRYCKERI AB

Råbäcksvägen 8 • 252 27 Hålsjöberg
Tel: 082-12 05 75 • Fax: 13 73 70
E-mail: reped@bergstens.se

Ordernr: 06-1823 Datum: 06-12-12

410 korrekturet

Artikelnr: Zostrix 0.025

Artikelnr: 800526 Land: AU

U Godkänd till tryckning

U Nytt korrektur dras

Datum: Sign:

Plasmakoden: 39 (01000)

Tryckdagar: 8 Start

Format: 147x208



R 19568

196

800526 Zostrix 05-12-12 14.21 SIGA 2



800526



pain is relieved. Use strictly as directed.

ZOSTRIX SHOULD BE USED CONTINUOUSLY:

You should use Zostrix 3 to 4 times a day for 6 weeks to achieve full benefit. Once pain relief occurs, you should continue to use Zostrix as long as needed. When Zostrix is discontinued, pain may recur in a few days or weeks. If pain recurs, Zostrix treatment should be restarted.

STORE BELOW 25°C

Sponsor:
Link Medical Products Pty Ltd.
Level 1 Bridgepoint Centre
3 Brady St, MOSMAN NSW 2088

For further information, please contact:
Link Medical Products Pty Ltd.
Level 1 Bridgepoint Centre
3 Brady St, MOSMAN NSW 2088
(02) 9960 0150

Zostrix® is a registered trademark

ZOSTRIX IS:
A topical medication that is believed to act on a substance in your body which is involved in transmission of pain impulses from nerve endings near the skin and joints to the brain. It is believed that regular application of Zostrix to the affected site will in time reduce the amount of this substance in nearby nerve endings.
With less of this substance present, pain may be less intense and in some cases there may be a cessation of pain.

ZOSTRIX WORKS GRADUALLY:
Because of the way Zostrix works, relief may not occur immediately and improvement may be gradual. The time required varies from person to person, although most have noticeable relief after 2 weeks of treatment. In some cases it is necessary to use Zostrix for 4 to 6 weeks before

WARNING - DO NOT USE ON BROKEN OR IRRITATED SKIN

1. Apply the required amount of Zostrix needed to cover the skin surrounding the affected joint (or area if using for post-herpetic neuralgia).
2. Massage Zostrix cream into the skin on the front, back and sides of the affected joint until no residue remains.
3. Must be applied 3 to 4 times daily to produce pain relief. A burning sensation may occur which usually disappears after several days of continued use.
4. If possible, avoid washing treated area for at least 30 minutes after application. Unless treating hands, wash hands thoroughly with soap and water after application to **AVOID SPREADING CREAM TO EYES OR MOUTH.**

Pharmaceutical Research and Manufacturers Association of Australia

R 10344

125

B00510_ZostrixHP 06-13-14 07.31 S1A.1

ZOSTRIX[®] HP

CAPSAICIN 0.075% w/w

Also contains benzyl alcohol 1% w/w as a preservative

TOPICAL
ANALGESIC
CREAM

DIRECTIONS FOR USE
For treatment of medically diagnosed painful diabetic neuropathy or post-herpetic neuralgia (pain following shingles).

FOR EXTERNAL USE ONLY.



ZOSTRIX[®] HP

CAPSAICIN 0.075% w/w

Also contains benzyl alcohol 1% w/w as a preservative

TOPICAL
ANALGESIC
CREAM

DESCRIPTION
Zostrix-HP cream contains capsaicin 0.075% w/w and is supplied in tubes of 45g.

INDICATIONS
For the treatment of medically diagnosed painful diabetic neuropathy or post-herpetic neuralgia (pain following shingles).

WARNINGS
For external use only;
Avoid contact with eyes and broken or irritated skin.
Do not bandage tightly. If condition

worsens, or does not improve after 28 days, discontinue use of this product and consult your doctor. Keep out of the reach of children.

DIRECTIONS
Adults and children 2 years of age and older:
Apply Zostrix-HP to affected area 3 to 4 times daily. Zostrix-HP may cause temporary burning when applied.
This burning is observed more frequently if Zostrix-HP is used less than 3 times a day. Unless treating hands, wash hands thoroughly with soap and water after application.



BERGSTENS TRYCKERI AB	
Kållagården 8 • 252 27 Hålsjöberg Tel: 042-12 05 75 • Fax 13 73 70 E-mail: prepress@bergstenstryckeri.se	
Ordernr: 06-1890	Datum: 06-12-14
2:a korrektur	
Artikel: Zostrix-HP 0,075	
Artikelnr: 800510	Land: AU
U Godkänd till tryckning	
U Myt korrektur dras	
Datum:	Sign:
Datum:	Sign:
Pharmakoder: 50 (10011)	
Tryckdåger: Svart	
Format: 147x208	

**WARNING – DO NOT USE ON
BROKEN OR IRRITATED SKIN**

1. Apply the smallest amount of Zostrix-HP needed to cover the skin surrounding the affected area.
2. Massage Zostrix-HP cream into the skin on the front, back and sides of the affected area until no residue remains. **DO NOT USE ON BROKEN OR IRRITATED SKIN.**
3. Must be applied 3 to 4 times daily to produce pain relief. A burning sensation may occur which usually disappears after several days of continued use.
4. If possible, avoid washing treated area for at least 30 minutes after application. Unless treating hands, wash hands thoroughly with soap and water after application to **AVOID SPREADING CREAM TO EYES OR MOUTH.**

Product of Link Medical International Pty Ltd

ZOSTRIX-HP IS:

A cream medication that act on a chemical in your body which is involved in transmission of pain impulses from nerve endings near the skin and joints to the brain. Regular application of Zostrix-HP to the affected site will, in time reduce the amount of this chemical in nearby nerve endings. With less of this chemical present, pain may be less intense and in some cases completely gone.

**ZOSTRIX-HP WORKS
GRADUALLY:**

Because of the way Zostrix-HP works, relief may not occur immediately and improvement may be gradual. The time required varies from person to person, although most have noticeable relief after 2 weeks of treatment. In some cases it is necessary to use Zostrix-HP for 4 to 6 weeks before pain is relieved.

**ZOSTRIX-HP SHOULD BE
USED CONTINUOUSLY:**

You should use Zostrix-HP 3 to 4 times a day for 6 weeks to achieve full benefit. Once pain relief occurs, you should continue to use Zostrix-HP as long as needed. When Zostrix-HP is discontinued, pain may recur in a few days or weeks. If pain recurs, Zostrix-HP treatment should be restarted.

STORE BELOW 25°C

Sponsor:
Link Medical Products Pty Ltd.
Level 1 Bridgepoint Centre
3 Brady St, MOSMAN NSW 2088

For further information, please contact:
Link Medical Products Pty Ltd.
Level 1 Bridgepoint Centre
3 Brady St, MOSMAN NSW 2088
(02) 9960 0150

'Zostrix' is a registered trademark



800518

800518_ZOSTRIX-HP 06-13-14 07 31 52A 2

R10344

800518_Zostrix-HP 06-12-14 07:31 PAGE 2

800518



ZOSTRIX-HP SHOULD BE USED CONTINUOUSLY:

You should use Zostrix-HP 3 to 4 times a day for 6 weeks to achieve full benefit. Once pain relief occurs, you should continue to use Zostrix-HP as long as needed. When Zostrix-HP is discontinued, pain may recur in a few days or weeks. If pain recurs, Zostrix-HP treatment should be restarted.

STORE BELOW 25°C

Sponsor:
Link Medical Products Pty Ltd.
Level 1 Bridgepoint Centre
3 Brady St, MOSMAN NSW 2088

For further information, please contact:
Link Medical Products Pty Ltd.
Level 1 Bridgepoint Centre
3 Brady St, MOSMAN NSW 2088
(02) 9560 0150

Zostrix is a registered trademark

ZOSTRIX-HP IS:

A cream medication that act on a chemical in your body which is involved in transmission of pain impulses from nerve endings near the skin and joints to the brain. Regular application of Zostrix-HP to the affected site will, in time reduce the amount of this chemical in nearby nerve endings. With less of this chemical present, pain may be less intense and in some cases completely gone.

ZOSTRIX-HP WORKS GRADUALLY:

Because of the way Zostrix-HP works, relief may not occur immediately and improvement may be gradual. The time required varies from person to person, although most have noticeable relief after 2 weeks of treatment. In some cases it is necessary to use Zostrix-HP for 4 to 6 weeks before pain is relieved.

WARNING – DO NOT USE ON BROKEN OR IRRITATED SKIN

1. Apply the smallest amount of Zostrix-HP needed to cover the skin surrounding the affected area.
2. Massage Zostrix-HP cream into the skin on the front, back and sides of the affected area until no residue remains. **DO NOT USE ON BROKEN OR IRRITATED SKIN.**
3. Must be applied 3 to 4 times daily to produce pain relief. A burning sensation may occur which usually disappears after several days of continued use.
4. If possible, avoid washing treated area for at least 30 minutes after application. Unless treating hands, wash hands thoroughly with soap and water after application to **AVOID SPREADING CREAM TO EYES OR MOUTH.**

Printed in Australia 800518/06 08-14-14